AMENDMENTS TO THE CLAIMS

Claim 1 (Currently Amended) A short film generation/reproduction apparatus for generating a video using at least one still picture and reproducing—said_the video, the short film generation/reproduction apparatus comprising:

a database unit operable to store:

said at least onea still picture group including a plurality of still pictures;

, a picturea feature indicating a feature of each said at least one still picture included in the still picture group, the feature of each still picture being from among features identified in an expression for still pictures;

-a style group including a plurality of styles indicating an outline of the video-to-be generated;

a style feature indicating a feature of said each style included in the style group,
the feature of each style being from among features identified in an expression for styles,;

a music group including a plurality of musical pieces,; and

a musical a feature of each musical piece included in the music group, the feature of each musical piece being from among features identified in an expression for music-indicating a feature of said music;

a selection unit operable to select, from only one selection group that is only one of the still picture group, the style group, and the music group, as a selection element one of the following elements to be used when generating the video, a still picture, a style, or a musical piece: said at least one still picture; the music; and the style;

a feature reading unit operable to read out, from the database unit, the feature of-

corresponding to the selection element selected by the selection unit, the feature being one of the picture feature, the musical feature, and the style feature;

a feature conversion unit operable to convert the feature read out by the feature reading unit into features identified in two other expressions, from among the expression for still pictures, the expression for styles, and the expression for music, the two other expressions being expressions other than the expression including the feature read out by the reading unit the other features;

a determination unit operable to determine, as two other the elements to be used to generate the video, a still picture, a musical piece, or a style from each corresponding group of two groups other than the selection group from among the still picture group, the style group, and the music group, other than the element selected by the selection unit, the two other elements being determined based on said other the features included in the two other expressions and resulting from the conversion-converted by the feature conversion unit; and

a scenario generation unit operable to generate a scenario of the video, based on the selection element selected by the selection unit and the two other elements determined by the determination unit.

Claim 2 (Currently Amended) The short film generation/reproduction apparatus according to Claim 1, wherein the feature conversion unit converts the picture a feature of a still picture that is read out by the feature reading unit into the musical a feature of a musical piece and a the style feature of a style, when the selection unit selects said at least one the still picture.

Claim 3 (Currently Amended) The short film generation/reproduction apparatus according to Claim 1, wherein the feature conversion unit converts the musical a feature of a musical piece that is read out by the feature reading unit into the picture a feature of a still picture and the style a feature of a style, when the selection unit selects the musical piece music.

Claim 4 (Currently Amended) The short film generation/reproduction apparatus according to Claim 1, wherein the feature conversion unit converts the style a feature of a style that is read out by the feature reading unit into the picture a feature of a still picture and the musical a feature of a musical piece, when the selection unit selects the style.

Claim 5 (Currently Amended) The short film generation/reproduction apparatus according to Claim 1,

wherein the database unit further stores a theme of the video to be generated and a-theme feature of the theme from among features identified in an expression for themes indicating a feature of said theme,

wherein the selection unit selects one of the following elements to be used when generating the video: said at least one a still picture; the music a musical piece; the a style; and the a theme, and

wherein the feature reading unit reads out, from the database unit, the feature corresponding to the element selected by the selection unit, the feature being one of the picture feature of the still picture, the musical feature of the musical piece, the style feature of the style, and the theme feature of the theme.

Claim 6 (Currently Amended) The short film generation/reproduction apparatus according to Claim 2, wherein the feature conversion unit converts the theme a feature of a theme that is read out by the feature reading unit into the picture a feature of a still picture, the musical a feature of a musical piece, and the style a feature of a style, when the selection unit selects the theme.

Claim 7 (Currently Amended) The short film generation/reproduction apparatus according to Claim 1, further comprising:

a still picture obtainment unit operable to obtain a still picture; and

a picture feature extraction unit operable to extract a <u>picture</u> feature <u>identified in the</u> <u>expression for still pictures</u> from the still picture obtained by the still picture obtainment unit.

Claim 8 (Currently Amended) The short film generation/reproduction apparatus according to Claim 7, further comprising an object information extraction unit operable to extract object information from the still picture obtained by the still picture obtainment unit, the object information being information about an object included in-said the still picture.

Claim 9 (Currently Amended) The short film generation/reproduction apparatus according to Claim 8,

wherein the style includes (i) a predetermined number of effects specifying what kind of visual effect is used to reproduce at least one target still picture which is the still picture obtained

by the still picture obtainment unit and (ii) a parameter including an attribute of the style, and wherein the scenario generation unit associates, with each of the predetermined number of effects, the object information included in said the at least one target still picture of said each of the predetermined number of effects.

Claim 10 (Currently Amended) The short film generation/reproduction apparatus according to Claim 9,

wherein the scenario generation unit includes:

_____an effect arrangement unit operable to select effects one by one from among the predetermined number of effects included in the style, and to arrange said the selected effects one by one in a time domain;

____a still picture assignment unit operable to assign a still picture to each of the effects arranged in the time domain by the effect arrangement unit on the basis of the object information, the still picture satisfying a picture feature required by the respective effects; and ____a parameter setting unit operable to generate the scenario by describing a parameter indicating processing to be performed on the object suitable for each of the effects arranged in the time domain by the effect arrangement unit, and to store said the generated scenario in the database unit.

Claim 11 (Currently Amended) The short film generation/reproduction apparatus according to Claim 10,

——wherein the picture feature required by each of the effects is a feature of the object.

Claim 12 (Currently Amended) The short film generation/reproduction apparatus according to Claim 10,

——wherein the feature of the object is at least one of a type of the object, a color of the object, a shape of the object, and the a number of objects.

Claim 13 (Currently Amended) The short film generation/reproduction apparatus according to Claim 10, further comprising a feature point extraction unit operable to extract, from the object, a feature point indicating a characteristic part of the object, and to store the extracted feature point in the object information,

wherein the parameter setting unit generates the scenario by describing a parameter indicating processing to be performed on a position where the feature point of the object is located.

Claim 14 (Currently Amended) The short film generation/reproduction apparatus according to Claim 10,

wherein the database unit further stores face information for individual authentication used to identify a face of an individual,

wherein the short film generation/reproduction apparatus further comprises a face authentication unit operable to authenticate a name of the object based on using the face information and to store-said the authenticated name of the object in the object information, when the object extracted by the object information extraction unit is a person's face, and

wherein the parameter setting unit generates the scenario by describing a parameter indicating processing to be performed on the object specified by saidthe authenticated name.

Claim 15 (Currently Amended) The short film generation/reproduction apparatus according to Claim 14, further comprising:

an individual information storage unit operable to store individual information in which a name of an individual and an attribute of said the individual are associated with each other; and an individual information search unit operable to search, from the individual information, for the attribute of the individual corresponding to the name of the object authenticated by the face authentication unit, and to store the said individual attribute obtained by the search in the object information,

wherein the parameter setting unit generates the scenario by describing a parameter indicating processing to be performed on the object specified by saidthe individual attribute.

Claim 16 (Currently Amended) The short film generation/reproduction apparatus according to Claim 1,

wherein the style includes (i) a predetermined number of effects specifying what kind of visual effect is used to reproduce said at least one still picture which is a target of each of the predetermined number of effects and (ii) a parameter including an attribute of the style, and

wherein the scenario generation unit arranges saidthe predetermined number of effects based on the attribute of included in the style and an attribute included in each of the predetermined number of effects.

Claim 17 (Currently Amended) The short film generation/reproduction apparatus according to Claim 16,

wherein the predetermined number of effects is either a basic effect including only one effect or an effect block made up of a plurality of basic effects, and

wherein the scenario generation unit arranges the basic effect or the effect block, based on the attribute-included in of the style and the attribute included in each of the predetermined number of effects.

Claim 18 (Currently Amended) The short film generation/reproduction apparatus according to Claim 16, wherein the scenario generation unit assigns a still picture to each of the predetermined number of effects, the still picture being suitable for a type of each of said the predetermined number of effects.

Claim 19 (Currently Amended) The short film generation/reproduction apparatus according to Claim 1, further comprising:

a short film selection unit operable to select the video to be reproduced; and

a short film reproduction unit operable to read out, from the database unit, the scenario of the video selected by the short film selection unit, and said at least one still picture and the music defined in said the scenario, and to reproduce the video based on said the scenario.

Claim 20 (Previously Presented) The short film generation/reproduction apparatus according

to Claim 19, further comprising a display unit operable to display the video reproduced by the short film reproduction unit.

Claim 21 (Currently Amended) The short film generation/reproduction apparatus according to Claim 19, further comprising an operation unit operable to operate the short film generation/reproduction apparatus and a display device for displaying the video, the display device being connected to said the short film generation/reproduction apparatus,

wherein the short film reproduction unit modulates a signal obtained by reproducing the video into an RF signal so as to output saidthe RF signal, and starts reproducing the video when a predetermined channel button is pressed down, the channel button being included in the operation unit and being assigned the RF signal.

Claim 22 (Currently Amended) The short film generation/reproduction apparatus according to Claim 21,

——wherein the short film reproduction unit switches the video being reproduced to another video, every time the channel button is pressed down.

Claim 23 (Currently Amended) The short film generation/reproduction apparatus according to Claim 22,

——wherein the short film reproduction unit reproduces a plurality of videos and outputs a plurality of RF signals all at once.

Claim 24 (Currently Amended) The short film generation/reproduction apparatus according to Claim 19, further comprising an operation unit operable to operate the short film generation/reproduction apparatus and a display device for displaying the video, the display device being connected to said the short film generation/reproduction apparatus,

wherein the short film reproduction unit modulates a signal obtained by reproducing the video into a video signal so as to output saidthe video signal, and starts reproducing the video when a predetermined button is pressed down, the button being included in the operation unit and being assigned the video signal.

Claim 25 (Currently Amended) The short film generation/reproduction apparatus according to Claim 24,

——wherein the short film reproduction unit switches the video being reproduced to another video, every time the button is pressed down.

Claim 26 (Currently Amended) The short film generation/reproduction apparatus according to Claim 1,

——wherein the short film generation/reproduction apparatus is a home server.

Claim 27 (Cancelled)

Claim 28 (Currently Amended) A short film generation/reproduction apparatus for generating a video using at least one still picture and reproducing-said the video, the short film

generation/reproduction apparatus comprising:

a database unit operable to store said at least one a still picture, a picture feature indicating a feature of said the at least one still picture, music, a musical feature indicating a feature of said the music, and an effect specifying what kind of visual effect is used to reproduce said the at least one still picture, which is a target of said the effect;

a selection unit operable to select-either one of the following elements to be used when generating the video: saidthe at least one still picture; and the music;

a feature reading unit operable to read out, from the database unit, the feature corresponding to the element selected by the selection unit, the feature being either the picture feature or the musical feature;

a feature conversion unit operable to convert the feature read out by the feature reading unit into the other another feature;

a determination unit operable to determine <u>another</u> the other element, based on <u>saidthe</u> other feature <u>resulting from the conversion converted</u> by the feature conversion unit;

a style generation unit operable to determine a predetermined number of effects and a parameter used to generate the video, and to generate a style indicating an outline of the video to be generated, based on the element selected by the selection unit and the other element determined by the determination unit; and

a scenario generation unit operable to generate a scenario of the video, based on the element selected by the selection unit, and the other element determined by the determination unit, and the style generated by the style generation unit.

Claim 29 (Cancelled)

Claim 30 (Currently Amended) A short film generation/reproduction apparatus for generating a video using at least one still picture and reproducing saidthe video, the short film generation/reproduction apparatus comprising:

an input unit operable to obtain a still picture inputted from outside;

a database unit operable to store <u>saidthe</u> at least one still picture, a style including (i) a predetermined number of effects specifying what kind of visual effect is used to reproduce <u>saidthe</u> at least one still picture which is a target of each of the predetermined number of effects and (ii) a parameter, and music used for the video to be generated, and

a scenario generation unit operable to generate a scenario of the video, based on a predetermined feature of the style and a predetermined feature of the music,

wherein the input unit includes an object information extraction unit operable to extract an object included in a still picture every time a still picture is inputted from outside and to store, in the database unit, object information including a position of the extracted object, and

wherein the scenario generation unit includes:

an effect arrangement unit operable to select effects one by one from among a group of effects stored in the database unit, and to arrange saidthe selected effects one by one in a time domain;

a still picture assignment unit operable to assign a still picture to each of the effects arranged in the time domain by the effect arrangement unit based on the object information stored in the database unit, the still picture satisfying a picture feature required by

the respective effects; and

a parameter setting unit operable to generate the scenario by describing a parameter indicating processing to be performed on the object suitable for each of the effects arranged in the time domain by the effect arrangement unit, and to store saidthe generated scenario in the database unit.

Claim 31 (Currently Amended) The short film generation/reproduction apparatus according to Claim 30,

——wherein the picture feature required by each of the effects is a feature of the object.

Claim 32 (Currently Amended) The short film generation/reproduction apparatus according to Claim 31,

——wherein the feature of the object is at least one of a type of the object, a color of the object, a shape of the object, and the a number of objects.

Claim 33 (Currently Amended) The short film generation/reproduction apparatus according to Claim 30,

wherein the input unit further includes a feature point extraction unit operable to extract, from the object, a feature point indicating a characteristic part of the object, and

wherein the parameter setting unit generates the scenario by describing a parameter indicating processing to be performed on a position where the feature point of the object is located.

Claim 34 (Currently Amended) The short film generation/reproduction apparatus according to Claim 30,

wherein the database unit further stores face information for individual authentication used to identify a face of an individual,

wherein the input unit further includes a face authentication unit operable to authenticate a name of the object based on using the face information and to store saidthe authenticated name of the object in the object information, when the object extracted by the object information extraction unit is a person's face, and

wherein the parameter setting unit generates the scenario by describing a parameter indicating processing to be performed on the object specified by saidthe authenticated name.

Claim 35 (Currently Amended) The short film generation/reproduction apparatus according to Claim 34, further comprising an individual information storage unit operable to store individual information in which a name of an individual and an attribute of saidthe individual are associated with each other,

wherein the input unit further includes an individual information search unit operable to search, from the individual information, for the attribute of the individual corresponding to the name of the object authenticated by the face authentication unit, and to store saidthe individual attribute obtained by the search in the object information, and

wherein the parameter setting unit generates the scenario by describing a parameter indicating processing to be performed on the object specified by saidthe individual attribute.

Claim 36 (Currently Amended) A short film generation/reproduction system comprising:

a short film generation/reproduction apparatus for generating a video using at least one still picture and reproducing saidthe video; and

a short film reproduction apparatus which is connected to saidthe short film generation/reproduction apparatus via a network,

wherein the short film generation/reproduction apparatus includes:

a database unit operable to store: said at least one

a still picture group including a plurality of still pictures;, a

a feature of each still picture included in the still picture group, the

feature of each still picture being from among features identified in an expression for still

pictures feature indicating a feature of said at least one still picture;

a style group including a plurality of styles indicating an outline of the video to be generated;

a style feature of each style included in the style group, the feature of each style being from among features identified in an expression for styles indicating a feature of said style;

a music group including a plurality of musical pieces, and; and

a musical a feature of each musical piece included in music group, the

feature of each musical piece being from among features identified in an expression for musicindicating a feature of said music;

a selection unit operable to select, from only one selection group that is only one

of the still picture group, the style group, and the music group, as a selection element one of the following elements to be used when generating the video, a still picture, a style, or a musical piece: said at least one still picture; the music; and the style;

a feature reading unit operable to read out, from the database unit, the feature ofcorresponding to the selection element selected by the selection unit, the feature being one of the picture feature, the musical feature, and the style feature;

a feature conversion unit operable to convert the feature read out by the feature reading unit into the other features identified in two other expressions, from among the expression for still pictures, the expression for styles, and the expression for music, the two other expressions being expressions other than the expression including the feature read out by the reading unit;

a determination unit operable to determine, as two other the elements-to be used to generate the video, a still picture, a musical piece, or a style from each corresponding group of two groups other than the selection group from among the still picture group, the style group, and the music group other than the element selected by the selection unit, the two other elements being determined based on said the other features included in the two other expressions and resulting from the conversion-converted by the feature conversion unit;

a scenario generation unit operable to generate a scenario of the video, based on the <u>selection</u> element selected by the selection unit and the <u>two</u> other elements determined by the determination unit; and

a first communication unit operable to read out, from the database unit, the scenario of the video selected by the short film reproduction apparatus, and saidthe at least one

still picture and the music defined in saidthe scenario, and to send the readout read-out scenario, the at least one still picture and the music to the short film reproduction apparatus via the network, and

wherein the short film reproduction apparatus includes:

a short film selection unit operable to select the video to be reproduced;

a second communication unit operable to communicate with the short film generation/reproduction apparatus via the network;

a storage unit operable to temporarily store the scenario of the video, and saidtheat least one still picture and the music defined in saidthe scenario, which are sent by the short film generation/reproduction apparatus;

a short film reproduction unit operable to read out, from the storage unit of the short film reproduction apparatus, the scenario of the video selected by the short film selection unit, and saidthe at least one still picture and the music defined in saidthe scenario, and to reproduce the video based on saidthe scenario; and

a display unit operable to display the video reproduced by the short film reproduction unit.

Claim 37 (Currently Amended) A short film generation/reproduction method for generating a video using at least one still picture and reproducing saidthe video, the short film generation/reproduction method comprising:

a selection step of selecting, from only one selection group that is only one of a still picture group, a style group, and a music group, as a selection element one of the following

elements to be used to generate the video: said, a still picture, a style, or a musical piece, the selection being performed using a database that stores (i) the still picture group that includes a plurality of still pictures, (ii) a feature of each still picture included in the still picture group, the feature of each still picture being from among features identified in an expression for still pictures, (iii) the style group that includes a plurality of styles indicating an outline of the video, (iv) a feature of each style included in the style group, the feature of each style being from among features identified in an expression for styles, (v) the music group that includes a plurality of musical pieces, and (vi) a feature of each musical piece included in the music group, the feature of each musical piece being from among features identified in an expression for musical piece included in the music group, the feature of each musical piece being from among features identified in an expression for musical piece still picture; music; and a style indicating an outline of the video to be generated;

a feature reading step of reading out, from the database, a the feature of corresponding to the selection element selected in the selection step;

a feature conversion step of converting the feature read out in the feature reading step into-other features identified in two other expressions, from among the expression for still pictures, the expression for styles, and the expression for music, the two other expressions being expressions other than the expression including the feature read out in the feature reading step;

a determination step of determining, as two other the elements to be used to generate the video, a still picture, a musical piece, or a style from each corresponding group of two groups other than the selection group from among the still picture group, the style group, and the music group, other than the element selected in the selection step, the two other elements being determined based on said the other features included in the two other expressions and resulting from the conversion converted in the feature conversion step; and

a scenario generation step of generating a scenario of the video, based on the <u>selection</u> element selected in the selection step and the <u>two</u> other elements determined in the determination step.

Claim 38 (Currently Amended) A short film generation/reproduction method for generating a video using at least one still picture and reproducing saidthe video, the short film generation/reproduction method comprising:

an input step of obtaining a still picture inputted from outside; and
a scenario generation step of generating a scenario of the video, based on a
predetermined feature of a style indicating an outline of the video to be generated and based on a
predetermined feature of music to be used to generate the video,

wherein the input step includes an object information extraction step of extracting an object included in a still picture every time a still picture is inputted from outside, and generating object information including a position of the extracted object, and

wherein the scenario generation step includes:

an effect arrangement step of selecting effects one by one from among a group of
effects, and arranging saidthe selected effects one by one in a time domain;
a still picture assignment step of assigning a still picture to each of the effects
arranged in the time domain in the effect arrangement step based on the object information, the
still picture satisfying a picture feature required by the respective effects; and
a parameter setting step of generating the scenario by describing a parameter
indicating processing to be performed on the object suitable for each of the effects arranged in

the time domain in the effect arrangement step.

Claim 39 (Currently Amended) A program for generating a video using at least one still picture and reproducing saidthe video, the program causing a computer to execute the following steps:

a selection step of selecting, from only one selection group that is only one of a still picture group, a style group, and a music group, as a selection element one of the following elements to be used to generate the video: said, a still picture, a style, or a musical piece, the selection being performed using a database that stores (i) the still picture group that includes a plurality of still pictures, (ii) a feature of each still picture included in the still picture group, the feature of each still picture being from among features identified in an expression for still pictures, (iii) the style group that includes a plurality of styles indicating an outline of the video, (iv) a feature of each style included in the style group, the feature of each style being from among features identified in an expression for styles, (v) the music group that includes a plurality of musical pieces, and (vi) a feature of each musical piece included in the music group, the feature of each musical piece being from among features identified in an expression for music at least one still picture; music; and a style indicating an outline of the video to be generated;

a feature reading step of reading out, from the database, a the feature of corresponding to the selection element selected in the selection step;

a feature conversion step of converting the feature read out in the feature reading step into-other features identified in two other expressions, from among the expression for still pictures, the expression for styles, and the expression for music, the two other expressions being

expressions other than the expression including the feature read out in the feature reading step;

a determination step of determining, as two other the elements to be used to generate the video, a still picture, a musical piece, or a style from each corresponding group of two groups other than the selection group from among the still picture group, the style group, and the music group, other than the element selected in the selection step, the two other elements being determined based on said the other features included in the two other expressions and resulting from the conversion converted in the feature conversion step; and

a scenario generation step of generating a scenario of the video, based on the <u>selection</u> element selected in the selection step and the <u>two</u> other elements determined in the determination step.

Claim 40 (Currently Amended) A program for generating a video using at least one still picture and reproducing saidthe video, the program causing a computer to execute the following steps:

an input step of obtaining a still picture inputted from outside; and

a scenario generation step of generating a scenario of the video, based on a predetermined feature of a style indicating an outline of the video to be generated and based on a predetermined feature of music to be used to generate the video,

wherein the input step includes an object information extraction step of extracting an object included in a still picture every time a still picture is inputted from outside, and generating object information including a position of the extracted object, and

wherein the scenario generation step includes:

an effect arrangement step of selecting effects one by one from among a group
of effects, and arranging saidthe selected effects one by one in a time domain;
a still picture assignment step of assigning a still picture to each of the effects
arranged in the time domain in the effect arrangement step based on the object information, the
still picture satisfying a picture feature required by the respective effects; and
a parameter setting step of generating the scenario by describing a parameter
indicating processing to be performed on the object suitable for each of the effects arranged in
the time domain in the effect arrangement step.